



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/872,920	06/02/2001	Ravi Chandra	4906.P078	4641
8791 7590 02/03/2009 BLAKELY SOKOLOFF TAYLOR & ZAFMAN LLP 1279 OAKMEAD PARKWAY SUNNYVALE, CA 94085-4040				
EXAMINER				
SHINGLES, KRISTIE D				
ART UNIT		PAPER NUMBER		
2441				
MAIL DATE		DELIVERY MODE		
02/03/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

09/872,920

Applicant(s)

CHANDRA ET AL.

Examiner

KRISTIE D. SHINGLES

Art Unit

2441

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 December 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,4-8,10-29,31-35 and 37-43 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2,4-8,10-29,31-35 and 37-43 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
- 4) ☐ Interview Summary (PTO-413)
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____
- Paper No(s)/Mail Date _____

DETAILED ACTION

Response to Amendments

No claims have been amended.
Claims 3, 9, 30 and 36 are been canceled.

Claims 1, 2, 4-8, 10-29, 31-35 and 37-43 are pending.

Response to Arguments

I. Applicant's arguments, see Remarks filed 12/19/2008, with respect to the rejections of claims 1, 16 and 28 under cited prior art *Sauvage* (US 6,651,185) have been fully considered and are persuasive. Therefore, the finality and rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of *Bishop et al* (US 6,983,317).

Claim Rejections - 35 USC § 102

II. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

III. **Claims 1 and 28 are rejected under 35 U.S.C. 102(e) as being anticipated by *Bishop et al* (US 6,983,317).**

Regarding claims 1 and 28, *Bishop et al* teach a computer implemented method and machine-readable medium comprising:

- receiving by a second network process a first set of data from a first network process (*col.98 lines 1-26, col.102 lines 18-66—engine monitoring manager receives heartbeat data/status from an engine*);
- receiving a notification of death of the first network process (*col.101 lines 15-25; col.103 line 64-col.104 line 14—receiving notification that the engine has failed*);
- death of the first network process (*col.104 lines 15-23—no heartbeat from the engine*);
- clearing the first set of data by the second network process if a time period expires, the time period beginning upon receiving the notification of death of the first network process (*col.101 lines 52-58, col.103 lines 10-23, col.104 lines 62-66, col.130 lines 59-61—heartbeat period reaches timeout and eviction period upon notification of death expires and engine monitoring manager removes the engine from its list*); and
- synchronizing by the second network process, the first set of data with a second set of data if the time period does not expire, the second set of data received from the first network process after the first network process restarts (*col.52 lines 27-61, col.102 lines 46-53, col.103 lines 25-62, col.104 line 62-col.105 line 17—if the eviction time period does not expire, the data from the engine is merged and updated with the engine monitoring manager*).

CLAIM REJECTIONS - 35 USC § 103

IV. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

V. Claims 2, 4-8, 10, 11, 16-27, 29, 31-35 and 37-43 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Fuchs et al* (USPN 5,440,726) in view of *Bishop et al* (US 6,983,317).

a. Regarding claim 16, *Fuchs et al* teach a network element comprising:

- a first processor to execute a first and second network process, the first network process to generate a first set of data before restarting and a second set of data after restarting, the second network process to synchronize for itself the first and second set of data (*col.10 lines 15-20*);
- the second network process to synchronize the first set of data with a second set of data generated by the first network process before restarting upon determining a time period has not expired, (*col.11 lines 22-66, col.13 line 38-col.14 line 47*); and
- a second processor coupled to the first processor, the second processor to process a set of traffic using the first set of data before the first network process restarts and a third set of data after the first network process restarts (*col.10 line 14-col.11 line 18*).

Fuchs et al teach the death of a network process, yet fail to explicitly teach synchronize for itself the first and second set of data upon determining a time period has not expired, the second network process to clear the first set of data upon determining the time period has expired, the time period beginning upon receiving a notification of death of the first network process. However, *Bishop et al* teach receiving notification that the engine has failed, the engine monitoring manager removes the engine from its list when the heartbeat period reaches timeout and eviction period upon notification of death expires; but if the eviction time period does not expire, the engine recovers and its data is merged and updated with the engine monitoring manager (*col.52 lines 27-61, col.101 lines 15-25 and 52-58, col.102 lines 46-53, col.103 line 10- col.104 line 23, col.104 line 62-col.105 line 17, col.130 lines 59-61*).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the system of *Fuchs et al* with *Bishop et al*'s engine

Art Unit: 2441

process notification system for clearing the first set of data upon receiving the notification of death, because this prevents the system from further storing or processing invalid data because which may corrupt the system and compromise the integrity of the content communicated in the processes.

b. Claims 20 and 24 contain limitations that are substantially similar to claim 16 and are therefore rejected under the same basis.

c. Claims 39 and 43 contain limitations that are substantially similar to claims 1 and 16 and are therefore rejected under the same basis.

d. Regarding claims 2, 27 and 29, *Bishop et al* teach the computer-implemented method of claims 1 and 28, *Fuchs et al* further teach the method further comprising indicating the first set of data as stale upon receiving the notification of death (*col.9 line 11-col.11 line 18*; *Bishop et al—col.52 lines 36-39*). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the system of *Fuchs et al* with *Bishop et al* to indicate that the data is stale so that the data will not be transmitted to other processes, but identified as old or out-dated for subsequent discard.

e. Regarding claims 4 and 31, *Bishop et al* teach the computer implemented method of claims 1 and 28, *Fuchs et al* further teach the method wherein the first set of data and the second set of data are synchronized after a done signal is received (*col.10 line 14-col.11 line 18, col.25 lines 35-65*; *Bishop et al—col.52 lines 27-59*). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the system of *Fuchs et al* with *Bishop et al* to perform synchronization after a

Art Unit: 2441

done signal because the done signal is an indication of completeness and that the process is not in a pending mode, but ready.

f. Regarding claims 5 and 32, *Bishop et al* teach the computer implemented method of claims 1 and 28, *Fuchs et al* further teach the method further comprising restoring a set of configurations to the network process after the first network process restarts (*Abstract, col.9 line 11-col.12 line 18; Bishop et al-col.105 lines 1-17*). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the system of *Fuchs et al* with *Bishop et al* to teach restoration of a set of configurations after the first process restarts, which is an obvious occurrence in the art wherein when the a process is restored, it also restores its associated configuration settings.

g. Regarding claims 6 and 33, *Bishop et al* teach the computer-implemented method of claims 1 and 28, *Fuchs et al* further teaches the method wherein further comprising clearing the second set of data if the time period expires and a done signal is not received (*col.8 lines 29-57, col.24 lines 33-43, col.27 lines 65-68*). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the system of *Fuchs et al* with *Bishop et al* to teach clearing the second set of data if the time period expires, to prevent corruption of the system with invalid/unaccounted data.

h. Claims 7 and 34 are substantially equivalent to claims 5 and 6 and are therefore rejected under the same basis.

i. Claims 8 and 35 are substantially equivalent to claim 2 and are therefore rejected under the same basis.

Art Unit: 2441

j. Claims 10 and 37 are substantially equivalent to claim 4 and are therefore rejected under the same basis.

k. Claim 11 and 38 are substantially equivalent to claim 6 and are therefore rejected under the same basis.

l. Regarding claim 17, *Fuchs et al* with *Bishop et al* teach the network element of claim 16, *Fuchs et al* further teach the method wherein the first processor comprises a memory to store the first, second and third set of data (*col.13 lines 53-58, col.14 lines 48-53*).

m. Regarding claim 18, *Fuchs et al* with *Bishop et al* teach the network element of claim 16, *Fuchs et al* further teach the method further comprising the first processor to allocate a first memory to the first network process and a second memory to the second network process (*col.13 lines 53-58, col.14 lines 48-53*).

n. Regarding claim 19, *Fuchs et al* with *Bishop et al* teach the network element of claim 16, *Fuchs et al* further teach the method further comprising the first processor to allocate a first memory to the first network process, a second memory to the second network process, and a third memory to store the first set of data, the second set of data, and the third set of data (*col.13 lines 53-58, col.14 lines 48-53*).

o. Regarding claim 21, *Fuchs et al* with *Bishop et al* teach the network element of claim 20, *Fuchs et al* further teach the element wherein the first memory, the second memory and the third memory are main memory (*col.13 lines 53-58, col.14 lines 48-53*).

Art Unit: 2441

p. Regarding claim 22, *Fuchs et al* with *Bishop et al* teach the network element of claim 20, *Fuchs et al* further teach wherein the first memory, the second memory, and the third memory are mass storage (*col.13 lines 53-58, col.14 lines 48-53*).

q. Regarding claim 23, *Fuchs et al* with *Bishop et al* teach the network element of claim 20, *Fuchs et al* further teach wherein the first memory, the second memory, and the third memory are a set of regions of a memory (*col.13 lines 53-58, col.14 lines 48-53*).

r. Regarding claim 25, *Fuchs et al* with *Bishop et al* teach the network element of claim 24, *Fuchs et al* further teach wherein the second network element comprises: a first memory to store the first set of data and the synchronized set of data; and a second memory to store the second set of data (*col.13 lines 53-58, col.14 lines 48-53*).

s. Regarding claims 26 and 42, *Fuchs et al* with *Bishop et al* teach the system of claims 24 and 39, *Fuchs et al* further teach further comprising the second network element to clear the first and second set of data if a time period expires (*col.8 lines 29-57, col.24 lines 33-43, col.27 lines 65-68, col.28 lines 34-44*).

t. Regarding claim 40, *Fuchs et al* with *Bishop et al* teach the method of claim 39, *Fuchs et al* further teach wherein the timer is initialized upon receipt of the death notification (*col.11 lines 47-53; Bishop et al— col.101 lines 15-25; col.103 line 64- col.104 line 23*).

u. Regarding claim 41, *Fuchs et al* with *Bishop et al* teach the method of claim 40, *Fuchs et al* further teach wherein the death notification is based on an absence

Art Unit: 2441

of a heartbeat from the second network process (*col.11 lines 44-66; Bishop et al—col.101 lines 15-25; col.103 line 64-col.104 line 23*).

VI. Claims 12 - 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kidder et al (US 6,694,450) in view of Damani et al (US 5,938,775) and Bishop et al (US 6,983,317).

v. Regarding claim 12, *Kidder et al* teach a network element comprising:

- a cross connect control module to host a first and second network process, the first network process to generate a first set of data after restarting and the second network process to synchronize for itself the first set of data with a second set of data generated by the first network process before restarting (*col.3 lines 42-52, col.3 line 63-col.4 line 6, col.42,line 66-col.43 line 12*); and
- a traffic card coupled to the cross connect module, the traffic card to process a set of traffic with the synchronized first and second set of data (*col.3 lines 42-52, col.3 line 63-col.4 line 6, col.42,line 66-col.43 line 12*).

Kidder et al fail to explicitly teach the second network process to synchronize the first set of data with a second set of data generated by the first network process before restarting upon determining a time period has not expired, the second network process to clear the first set of data upon determining the time period has expired, the time period beginning upon receiving a notification of death of the first network process. However, *Damani et al* teach rollback-synchronization among the processes wherein the inter-process communication (orphaned) data rolled-back if the time period expires (*col.3 lines 32-40, col.6 lines 44-59, col.7 lines 9-34, col.9 lines 11-13, col.9 line 54-col.10 line 14*). Furthermore, *Bishop et al* teach receiving notification that the engine has failed, the engine monitoring manager removes the engine from its list when the heartbeat period reaches timeout and eviction period upon notification of death expires; but if the eviction time period does not expire, the engine recovers and its data is

Art Unit: 2441

merged and updated with the engine monitoring manager (*col.52 lines 27-61, col.101 lines 15-25 and 52-58, col.102 lines 46-53, col.103 line 10- col.104 line 23, col.104 line 62-col.105 line 17, col.130 lines 59-61*).

Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the restart and rollback system of *Kidder et al* with *Damani et al*'s fault tolerant IPC message passing system and *Bishop et al*'s engine process notification system wherein a notification of a process death is sent to alert other processes, doing so, allows for the other processes to stop communication with and processing data from the dead process since the data may corrupt the system and compromise the integrity of the processes.

w. Regarding claim 13, *Kidder et al* with *Damani et al* and *Bishop et al* teach the network element of claim 12, *Kidder et al* further teach the element wherein the cross connect module comprises a first and second memory to host the first and second network process (*col.3 lines 42-52, col.3 line 63-col.4 line 6*).

x. Regarding claim 14, *Kidder et al* with *Damani et al* and *Bishop et al* teach the network element of claim 12, *Kidder et al* further teach the element wherein the traffic card comprises a set of processors to process the first and second set of data (*col.3 lines 42-52, col.3 line 63-col.4 line 6*).

y. Regarding claim 15, *Kidder et al* with *Damani et al* and *Bishop et al* teach the network element of claim 12, *Kidder et al* further teach the element wherein the cross connect module comprises: a first memory to host the first network process; a second memory coupled to the first memory, the second memory to host the second network process; and a third memory coupled to the first and second memory, the third

Art Unit: 2441

memory to store the first set of data, second set of data, and the synchronized set of data (col.3 lines 42-52, col.3 line 63-col.4 line 6, col.42 line 66-col.43 line 12).

Conclusion

VII. The prior art made of record and not relied upon is considered pertinent to Applicant's disclosure: Wang et al (6834326), Hickson et al (6792604), Sundaram et al (6564341), Lai et al (6571270), Colley et al (4325120).

VIII. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kristie D. Shingles whose telephone number is 571-272-3888. The examiner can normally be reached on Monday 8:00am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rupal Dharia can be reached on 571-272-3880. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kristie D. Shingles
Examiner
Art Unit 2441

/KDS/
/William C. Vaughn, Jr./

Art Unit: 2441

Supervisory Patent Examiner, Art Unit 2444